

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

## 1 Identification of substance:

- Product details:
- Trade name: RENOLIN PG 150
- Application of the substance / the preparation: Lubricant
- Manufacturer/Supplier:  
FUCHS EUROPE SCHMIERSTOFFE GMBH EXPORT DIVISION  
Friesenheimer Str. 15  
D-68169 Mannheim  
Tel: ++49 (0)621/3701-0 (Switch Board)  
Fax: ++49 (0)621/3701-570
- Informing department:  
Product safety department Tel: ++49 (0)621/3701-333
- Emergency information:  
Tel: ++49 (0)621/3701-333 or ++49 (0)621/3701-0 (Switch Board)

## 2 Composition/Data on components:

- Chemical characterization
- Description: Mixture of basis from polyglycole

Dangerous components:	R-phrases	
Alkaryl amine		1-2.4 %
R 52/53		
Phenolic antioxidant		0.1-1 %
R 53		
Oily acid derivative		0.1-1 %
Xi, N; R 38-41-50		

- Additional information  
For the wording of the listed risk phrases refer to section 16.

## 3 Hazards identification

- Hazard designation:  
By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.
- Information pertaining to particular dangers for man and environment  
This product is water polluting; see item 12.  
R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Classification system  
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.  
The classification results from the Conventional Method of 1999/45/EC concerning specific data of compounds.

(Contd. on page 2)

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

Trade name: RENOLIN PG 150

(Contd. of page 1)

- Additional information:  
This product is applied only as solution or emulsion in water.

## 4 First aid measures

- General information  
Change clothes and shoes contaminated or soaked by the product.  
Never put rags contaminated by the product into cloth-pockets.
- After inhalation  
Supply fresh air; consult doctor in case of symptoms.  
(eventually by inhaling the overheated product)
- After skin contact The product is not skin irritating.
- After eye contact  
Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.

## 5 Fire fighting measures

- Suitable extinguishing agents  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires  
with water jet or alcohol-resistant foam.  
Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents  
Water with a full water jet.
- Protective equipment:  
In case of fire fighting: wear self containing breathing apparatus
- Additional information  
Generally this product is not burnable on account of its water-content.

## 6 Accidental release measures

- Person-related safety precautions:  
Particular danger of slipping on leaked/ spilled product.
- Environmental protection measures:  
Do not allow to enter drainage system, surface or ground water.  
Prevent from spreading (e.g. by binding or oil barriers).  
Do not allow to enter the ground/ soil.
- Measures for cleaning/collecting:  
Absorb with liquid-binding material (sand, diatomite, acid binders,  
universal binders, sawdust).  
Dispose of the material collected according to regulations.
- Additional information: No dangerous materials are released.

## 7 Handling and storage

- Handling
  - Information for safe handling:  
Prevent formation of aerosols.  
Lokal regulations for watermiscible cutting oils have to be kept.
- (Contd. on page 3)

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

Trade name: RENOLIN PG 150

(Contd. of page 2)

- Information about protection against explosions and fires:  
No special measures required.
  - Storage
  - Requirements to be met by storerooms and containers:  
No special requirements.
  - Information about storage in one common storage facility:  
Store away from foodstuffs.
  - Further information about storage conditions:  
Local regulations concerning handling and storage of waterpolluting products have to be followed.
- 8 Exposure controls and personal protection
- Additional information about design of technical systems:  
No further data; see item 7.
  - Components with critical values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
  - Additional information:  
The lists that were valid during the compilation were used as basis.
  - Personal protective equipment
  - General protective and hygienic measures  
The usual precautionary measures should be adhered to in handling the chemicals and the mineral oil products.  
Wash hands during breaks and at the end of the work.  
Avoid close or long term contact with the skin.  
Use skin protection cream for preventive skin protection.  
Do not carry cleaning cloths impregnated with the product in trouser pockets.
  - Breathing equipment: Not required.
  - Protection of hands: Protective gloves and protective skin cream.
  - Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
  - Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
  - Eye protection: Safety glasses recommended during refilling.
  - Body protection: Protective work clothing.

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

Trade name: RENOLIN PG 150

## \* 9 Physical and chemical properties:

- General Information

- Form: Fluid

- Colour: Yellowish

- Smell: Characteristic

- .

- Change in condition

- Melting point/Melting range:

Value/Range Unit Method

Not determined

- Boiling point/Boiling range:

not applicable or not determined

- Flash point:

240 ° C

ISO 2592

- Decomposition temperature:

Not determined

- Self-inflammability:

Product is not selfigniting.

- Danger of explosion:

Product is not explosive.

- Density

at 15 ° C

1.051 g/cm<sup>3</sup>

DIN 51 757

- Solubility in / Miscibility with

- Water:

Fully miscible

- Viscosity or Consistency-Class:

- kinematic:

at 40 ° C

140 mm<sup>2</sup>/s

DIN 51 562

## 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Dangerous reactions No dangerous reactions known

- Dangerous products of decomposition:

No dangerous decomposition products known

## 11 Toxicological information

- Acute toxicity:

- Primary irritant effect:

- on the skin: No irritant effect known.

- on the eye: No irritant effect known.

- Sensitization: No sensitizing effect known.

- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our actual informations.

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

Trade name: RENOLIN PG 150

## 12 Ecological information:

- Behaviour in environmental systems:
- Mobility and bioaccumulation potential: No data available
- Ecotoxicological effects:
- Remark: Harmful to fish
- Behaviour in sewage processing plants:  
The product is soluble in the waste water.  
Danger for the function of the sewage processing plants.
- General notes:  
German Water Endangering Class 1 (Self-assessment): slightly hazardous for water.  
Do not allow to reach ground water, water bodies or sewage system.  
The product contains materials that are harmful to the environment.

## 13 Disposal considerations

- Product:
- Recommendation  
Smaller quantities have to be disposed in line with local legislation. When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.  
Delivery of waste oil only to officially authorized collectors.
- European waste catalogue  
13 02 06: synthetic engine, gear and lubricating oils
- Uncleaned packagings:
- Recommendation:  
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Small one-way packagings have to be disposed according to the local regulations.  
EWC 15 01 99.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

## 14 Transport information

- Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)
- ADR/RID-GGVS/E Class: -
- Maritime transport IMDG/GGVSea:
- IMDG/GGVSea Class: -
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA Class: -

(Contd. on page 6)

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

Trade name: RENOLIN PG 150

(Contd. of page 5)

- Transport/Additional information:  
No dangerous good acc. to dangerous goods/ transport directions.

## 15 Regulatory information

- Designation according to EU guidelines:  
The product has been classified and labelled in accordance with EC Directives until 2004/73/EC (29. ATP).  
Observe the normal safety regulations when handling chemicals or mineral oil products.
- Risk phrases:  
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Safety phrases:  
61 Avoid release to the environment. Refer to special instructions/safety data sheets.
- National regulations
- German Water Hazard Class:  
Water Engangering Class 1 (Self-assessment): slightly hazardous for water.

## 16 Other information:

All ingredients are listed in the European Inventories. These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This data sheet is a safety data sheet according to 91/155/EU. For products which are not subject to classification according to EU lists this data sheet is made on a voluntary base.

- Relevant R-phrases  
38 Irritating to skin.  
41 Risk of serious damage to eyes.  
50 Very toxic to aquatic organisms.  
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
53 May cause long-term adverse effects in the aquatic environment.
- Department issuing data specification sheet:  
FUCHS EUROPE SCHMIERSTOFFE GMBH Export Division  
Product Safety Departement
- Contact:  
Product Safety Departement:  
Tel: ++49(0)621/3701-333, Mrs. Manuwald

(Contd. on page 7)

MATERIAL SAFETY DATA SHEET  
According to 91/155/EC

Printing date 01.02.2006

Reviewed on 17.02.2005

Trade name: RENOLIN PG 150

(Contd. of page 6)

- Validity:  
With this latest edition of this MSDS all former editions are not valid any longer.  
Changed items are marked with "\*".
- \* Data compared to the previous version altered.